

Peer Reviewed Publications

Thomas B. Hofstetter

Senior Scientist, PD Dr.

Publication indicators

Peer reviewed publications 119; Total citations (WOS): 8'600, H-Index: 43

Links full publication lists: [ORCID 0000-0003-1906-367X](https://orcid.org/0000-0003-1906-367X), [Web of Science ResearcherID A-6262-2008](https://www.researcherid.com/rid/A-6262-2008)
[Google Scholar](https://scholar.google.com/citations?user=...)

- [119] Bopp, C. E.; Bernet, N. M.; Meyer, F.; Khan, R.; Kohler, H.-P. E.; Buller, R.; Hofstetter, T. B. Elucidating the role of O₂ uncoupling for the adaptation of bacterial biodegradation reactions catalyzed by Rieske Oxygenases. *ACS Environmental Au* **2024**, *4*, <https://doi.org/10.1021/acsenvironau.4c00016>.
- [118] Hofstetter, T. B.; Bakkour, R.; Buchner, D.; Eisenmann, H.; Fischer, A.; Gehre, M.; Haderlein, S. B.; Höhener, P.; Hunkeler, D.; Imfeld, G.; Jochmann, M.; Kuemmel, S.; Martin, P.; Pati, S. G.; Schmidt, T. C.; Vogt, C.; Elsner, M. Perspectives for compound-specific isotope analysis of organic water contaminants. *Nature Water* **2024**, *2*, 14–30, <https://doi.org/10.1038/s44221-023-00176-4>.
- [117] Bernet, N. M.; Hofstetter, T. B. Advances in oxygen isotope analysis of phosphate by electrospray Orbitrap mass spectrometry for studying the microbial metabolism of microorganisms. *CHIMIA* **2024**, *78*, 256–260, <https://doi.org/10.2533/chimia.2024.256>.
- [116] Bopp, C. E.; Bernet, N. M.; Pati, S. G.; Hofstetter, T. B. Characterization of O₂ Uncoupling in Biodegradation Reactions of Nitroaromatic Contaminants Catalyzed by Rieske Oxygenases. In *Mononuclear Non-heme Iron-Dependent Enzymes*; Bridwell-Rabb, J., Ed.; Methods in Enzymology; Academic Press, **2024**, Vol. 703; <https://doi.org/10.1016/bs.mie.2024.05.010>.
- [115] Houska, J.; Stocco, L.; Hofstetter, T. B.; von Gunten, U. Hydrogen peroxide formation during ozonation of olefins and phenol: Mechanistic insights from oxygen isotope signatures. *Environ. Sci. Technol.* **2023**, *57*, 18950–18959, <https://doi.org/10.1021/acs.est.3c00788>.
- [114] Bopp, C. E.; Bernet, N. M.; Kohler, H.-P. E.; Hofstetter, T. B. Elucidating the role of O₂ uncoupling in the oxidative biodegradation of organic contaminants by Rieske non-heme iron dioxygenases. *ACS Environmental Au* **2022**, *2*, 428–440, <https://doi.org/10.1021/acsenvironau.2c00023>.
- [113] Bopp, C. E.; Bolotin, J.; Pati, S. G.; Hofstetter, T. B. Managing argon interference during measurements of ¹⁸O/¹⁶O ratios in O₂ by continuous-flow isotope ratio mass spectrometry. *Anal. Bioanal. Chem.* **2022**, *414*, 6177–6186, <https://doi.org/10.1007/s00216-022-04184-3>.
- [112] Pati, S. G.; Bopp, C. E.; Kohler, H.-P. E.; Hofstetter, T. B. Substrate-specific coupling of O₂ activation to hydroxylations of aromatic compounds by Rieske non-heme iron dioxygenases. *ACS Catal.* **2022**, *12*, 6444–6456, <https://doi.org/10.1021/acscatal.2c00383>.
- [111] Csizi, K.-S.; Eckert, L.; Brunken, C.; Hofstetter, T. B.; Reiher, M. The apparently unreactive substrate facilitates the electron transfer for dioxygen activation in Rieske dioxygenases. *Chemistry-a European Journal* **2022**, *28*, e202103937, <https://doi.org/10.1002/chem.202103937>.
- [110] Aeppli, M.; Giroud, S.; Vranic, S.; Voegelin, A.; Hofstetter, T. B.; Sander, M. Thermodynamic controls on rates of iron oxide reduction by extracellular electron shuttles. *Proc. Natl. Acad. Sci. USA* **2022**, *119*, e2115629119, <https://doi.org/10.1073/pnas.2115629119>.
- [109] Tong, Y.; Berens, M. J.; Ulrich, B. A.; Bolotin, J.; Strehlau, J. H.; Hofstetter, T. B.; Arnold, W. A. Exploring the utility of compound-specific isotope analysis for assessing ferrous iron-mediated reduction of RDX in the subsurface. *Environ. Sci. Technol.* **2021**, *55*, 6752–6763, <https://doi.org/10.1021/acs.est.0c08420>.
- [108] Torrento, C.; Ponsin, V.; Lihl, C.; Hofstetter, T. B.; Baran, N.; Elsner, M.; Hunkeler, D. Triple-element compound-specific stable isotope analysis (3D-CSIA): Added value of Cl isotope ratios to assess herbicide degradation. *Environ. Sci. Technol.* **2021**, *55*, 13891–13901, <https://doi.org/10.1021/acs.est.1c03981>.

- [107] Arnold, W. A.; Sturchio, N. C.; Hofstetter, T. B. *Guidance for Using Compound Specific Isotope Analysis (CSIA) for the Assessment of Transformation of Nitroaromatic Explosives and RDX*; SERDP report, **2021**, SERDP report ER-2618.
- [106] Berens, M. J.; Hofstetter, T. B.; Bolotin, J.; Arnold, W. A. Assessment of 2,4-dinitroanisole transformation using compound-specific isotope analysis after *in situ* chemical reduction of iron oxides. *Environ. Sci. Technol.* **2020**, *54*, 5520–5531, <https://doi.org/10.1021/acs.est.9b07616>.
- [105] Willach, S.; Lutze, H. V.; Somnitz, H.; Terhalle, J.; Stojanovic, N.; Lüling, M.; Jochmann, M. A.; Hofstetter, T. B.; Schmidt, T. C. Carbon isotope fractionation of substituted benzene analogs during oxidation with ozone and hydroxyl radicals: How should experimental data be interpreted? *Environ. Sci. Technol.* **2020**, *54*, 6713–6722, <https://doi.org/10.1021/acs.est.0c00620>.
- [104] Melsbach, A.; Torrentó, C.; Ponsin, V.; Bolotin, J.; Lachat, L.; Prasuhn, V.; Hofstetter, T. B.; Hunkeler, D.; Elsner, M. Dual-element isotope analysis of desphenylchloridazon to investigate its environmental fate in a systematic field study - A long-term lysimeter experiment. *Environ. Sci. Technol.* **2020**, *54*, 3929–3939, <https://doi.org/10.1021/acs.est.9b04606>.
- [103] Bopp, C. E.; Kohler, H.-P. E.; Hofstetter, T. B. Enzyme kinetics of organic contaminant oxygenations. *Chimia* **2020**, *74*, 108–114, <https://doi.org/10.2533/chimia.2020.108>.
- [102] Chen, G.; Hofstetter, T. B.; Gorski, C. A. The role of carbonate in nitrobenzene reduction by iron oxide-bound Fe²⁺. *Environ. Sci. Technol.* **2020**, *54*, 10109–10117, <https://doi.org/10.1021/acs.est.0c02959>.
- [101] Lowry, G.; Field, J.; Westerhoff, P.; Zimmerman, J.; Alvarez, P.; Boehm, A.; Crittenden, J.; Dachs, J.; Diamond, M.; Eckelman, M.; Gardea-Torresdey, J.; Giammar, D.; Hofstetter, T.; Hornbuckle, K.; Jiang, G.; Li, X.-d.; Leusch, F.; Mihelcic, J.; Miller, S.; Pruden, A.; Raskin, L.; Richardson, S.; Scheringer, M.; Schlenk, D.; Strathmann, T.; Tao, S.; Waite, T. D.; Wang, P.; Wang, S. Why was my paper rejected without review? *Environ. Sci. Technol.* **2020**, *54*, 11641–11644, <https://doi.org/10.1021/acs.est.0c05784>.
- [100] Aeppli, M.; Kaegi, R.; Kretzschmar, R.; Voegelin, A.; Hofstetter, T. B.; Sander, M. Electrochemical analysis of changes in iron oxide reducibility during abiotic ferrihydrite transformation into goethite and magnetite. *Environ. Sci. Technol.* **2019**, *53*, 3568–3578, <https://doi.org/10.1021/acs.est.8b07190>.
- [99] Aeppli, M.; Vranic, S.; Kaegi, R.; Kretzschmar, R.; Brown, A.; Voegelin, A.; Hofstetter, T. B.; Sander, M. Decreases in iron oxide reducibility during microbial reductive dissolution and transformation of ferrihydrite. *Environ. Sci. Technol.* **2019**, *53*, 8736–8746, <https://doi.org/10.1021/acs.est.9b01299>.
- [98] Berens, M. J.; Ulrich, B. A.; Strehlau, J. H.; Hofstetter, T. B.; Arnold, W. A. Mineral identity, natural organic matter, and repeated contaminant exposures do not affect the carbon and nitrogen isotope fractionation of 2,4-dinitroanisole during abiotic reduction. *Environ. Sci.: Processes Impacts* **2019**, *21*, 51–62, <https://dx.doi.org/10.1039/C8EM00381E>.
- [97] Melsbach, A.; Ponsin, V.; Torrentó, C.; Lihl, C.; Hofstetter, T. B.; Hunkeler, D.; Elsner, M. ¹³C and ¹⁵N isotope analysis of desphenylchloridazon by liquid chromatography isotope ratio mass spectrometry (LC-IRMS) and derivatization-gas chromatography isotope ratio mass spectrometry (GC-IRMS). *Anal. Chem.* **2019**, *91*, 3412–3420, <https://doi.org/10.1021/acs.analchem.8b04906>.
- [96] Schilling, I. E.; Hess, R.; Bolotin, J.; Lal, R.; Hofstetter, T. B.; Kohler, H.-P. E. Kinetic isotope effects of the enzymatic transformation of γ -hexachlorocyclohexane by the lindane dehydrochlorinase variants LinA1 and LinA2. *Environ. Sci. Technol.* **2019**, *53*, 2353–2363, <https://dx.doi.org/10.1021/acs.est.8b04234>.
- [95] Schilling, I. E.; Bopp, C. E.; Lal, R.; Kohler, H.-P. E.; Hofstetter, T. B. Assessing aerobic biotransformation of hexachlorocyclohexane isomers by compound-specific isotope analysis. *Environ. Sci. Technol.* **2019**, *53*, 7419–7431, <https://doi.org/10.1021/acs.est.9b01007>.
- [94] Torrentó, C.; Bakkour, R.; Glauser, G.; Melsbach, A.; Ponsin, V.; Hofstetter, T. B.; Elsner, M.; Hunkeler, D. Solid-phase extraction method for stable isotope analysis of pesticides from large volume environmental water samples. *Analyst* **2019**, *144*, 2898–2908, <https://doi.org/10.1039/C9AN00160C>.

- [93] Schilling, I. E.; Kohler, Hans-Peter E.; Hofstetter, T. B. Effect of metabolic constraints on the observable isotope fractionation associated with aerobic biodegradation of hexachlorocyclohexanes. *ChemRxiv* **2019**, <https://doi.org/10.26434/chemrxiv.10279283.v1>.
- [92] Aeppli, M.; Voegelin, A.; Gorski, C. A.; Hofstetter, T. B.; Sander, M. Mediated Electrochemical Reduction of Iron (Oxyhydr-)Oxides under Defined Thermodynamic Boundary Conditions. *Environ. Sci. Technol.* **2018**, *52*, 560–570, <https://doi.org/10.1021/acs.est.7b04411>.
- [91] Bakkour, R.; Bolotin, J.; Sellergren, B.; Hofstetter, T. B. Molecularly-imprinted polymers for compound-specific isotope analysis of polar organic micropollutants in aquatic environments. *Anal. Chem.* **2018**, *90*, 7292–7301, <https://doi.org/10.1021/acs.analchem.8b00493>.
- [90] Stewart, S. M.; Hofstetter, T. B.; Joshi, P. A.; Gorski, C. A. Linking thermodynamics to pollutant reduction kinetics by Fe²⁺ bound to iron oxides. *Environ. Sci. Technol.* **2018**, *52*, 5600–5609, <https://doi.org/10.1021/acs.est.8b00481>.
- [89] Torrentó, C.; Prasuhn, V.; Spiess, E.; Ponsin, V.; Melsbach, A.; Lihl, C.; Glauser, G.; Hofstetter, T. B.; Elsner, M.; Hunkeler, D. Adsorbing vs. nonadsorbing tracers for assessing pesticide transport in arable soils. *Vadose Zone J.* **2018**, *17*, 1–18, <https://doi.org/10.2136/vzj2017.01.0033>.
- [88] Ulrich, B. A.; Palatucci, M.; Bolotin, J.; Spain, J. C.; Hofstetter, T. B. Different mechanisms of alkaline and enzymatic hydrolysis of the insensitive munition component 2,4-dinitroanisole lead to identical products. *Environ. Sci. Technol. Letters* **2018**, *5*, 456–461, <https://doi.org/10.1021/acs.estlett.8b00258>.
- [87] Lavrieux, M.; Schubert, C. J.; Hofstetter, T. B.; Eglinton, T. I.; Hajdas, I.; Wacker, L.; Dubois, N. From medieval land clearing to industrial development: 800 years of human-impact history in the Joux Valley (Swiss Jura). *The Holocene* **2017**, *27*, 1429–1442, <https://doi.org/10.1177/0959683617693892>.
- [86] Pati, S. G.; Kohler, H.-P. E.; Hofstetter, T. B. In *Measurement and Analysis of Kinetic Isotope Effects*; Harris, M. E., Anderson, V. E., Eds.; Methods in Enzymology; Academic Press, **2017**, Vol. 596; pp 292–329, <https://doi.org/10.1016/bs.mie.2017.06.044>.
- [85] Spahr, S.; Cirpka, O. A.; von Gunten, U.; Hofstetter, T. B. Formation of *N*-nitrosodimethylamine during chloramination of secondary and tertiary amines: Role of molecular oxygen and radical intermediates. *Environ. Sci. Technol.* **2017**, *51*, 280–290, <https://doi.org/10.1021/acs.est.6b04780>.
- [84] Spahr, S.; von Gunten, U.; Hofstetter, T. B. Carbon, hydrogen, and nitrogen isotope fractionation trends in *N*-nitrosodimethylamine reflect the formation pathway during chloramination of tertiary amines. *Environ. Sci. Technol.* **2017**, *51*, 13170–13179, <https://doi.org/10.1021/acs.est.7b03919>.
- [83] Wijker, R. S.; Zeyer, J.; Hofstetter, T. B. Isotope fractionation associated with the simultaneous biodegradation of multiple nitrophenol isomers by *Pseudomonas putida* B2. *Environ. Sci.-Process Impacts* **2017**, *74*, 775–784, <https://doi.org/10.1039/C6EM00668J>.
- [82] Gorski, C. A.; Edwards, R.; Sander, M.; Hofstetter, T. B.; Stewart, S. M. Thermodynamic characterization of iron oxide-aqueous Fe²⁺ redox couples. *Environ. Sci. Technol.* **2016**, *50*, 8538–8547, <https://doi.org/10.1021/acs.est.6b02661>.
- [81] Maier, M. P.; Prasse, C.; Pati, S. G.; Nitsche, S.; Li, Z.; Radke, M.; Meyer, A. H.; Hofstetter, T. B.; Ternes, T. A.; Elsner, M. Exploring trends of C and N isotope fractionation to trace transformation reactions of diclofenac in natural and engineered systems. *Environ. Sci. Technol.* **2016**, *50*, 10933–10942, <https://doi.org/10.1021/acs.est.6b02104>.
- [80] Pati, S. G.; Bolotin, J.; Brennwald, M. S.; Kohler, H.-P. E.; Werner, R. A.; Hofstetter, T. B. Measurement of oxygen isotope ratios (¹⁸O/¹⁶O) of aqueous O₂ in small samples by gas chromatography/isotope ratio mass spectrometry. *Rapid Commun. Mass Spectrom.* **2016**, *30*, 684–690, <https://doi.org/10.1002/rcm.7481>.
- [79] Pati, S. G.; Kohler, H.-P. E.; Pabis, A.; Paneth, P.; Parales, R. E.; Hofstetter, T. B. Substrate and enzyme specificity of the kinetic isotope effects associated with the dioxygenation of nitroaromatic contaminants. *Environ. Sci. Technol.* **2016**, *50*, 6708–6716, <https://doi.org/10.1021/acs.est.5b05084>.

- [78] Ratti, M.; Canonica, S.; McNeill, K.; Erickson, P. R.; Bolotin, J.; Hofstetter, T. B. Isotope fractionation associated with the direct photolysis of 4-chloroaniline. *Environ. Sci. Technol.* **2015**, *49*, 4263–4273, <https://doi.org/10.1021/es505784a>.
- [77] Ratti, M.; Canonica, S.; McNeill, K.; Bolotin, J.; Hofstetter, T. B. Isotope fractionation associated with the photochemical dechlorination of chloroanilines. *Environ. Sci. Technol.* **2015**, *49*, 9797–9806, <https://doi.org/10.1021/acs.est.5b02602>.
- [76] Ratti, M.; Canonica, S.; McNeill, K.; Bolotin, J.; Hofstetter, T. B. Isotope fractionation associated with the indirect photolysis of substituted anilines in aqueous solution. *Environ. Sci. Technol.* **2015**, *49*, 12766–12773, <https://doi.org/10.1021/acs.est.5b03119>.
- [75] Sander, M.; Hofstetter, T. B.; Gorski, C. A. Electrochemical analyses of redox-active iron minerals: a review of nonmediated and mediated approaches. *Environ. Sci. Technol.* **2015**, *49*, 5862–5878, doi:10.1021/acs.est.5b00006.
- [74] Spahr, S.; Bolotin, J.; Schleucher, J.; Ehlers, I.; von Gunten, U.; Hofstetter, T. B. Compound-specific carbon, nitrogen, and hydrogen isotope analysis of *N*-nitrosodimethylamine in aqueous solutions. *Anal. Chem.* **2015**, *87*, 2916–2924, <https://doi.org/10.1021/ac5044169>.
- [73] Wijker, R. S.; Pati, S. G.; Zeyer, J.; Hofstetter, T. B. Enzyme kinetics of different types of flavin-dependent monooxygenases determine the observable contaminant stable isotope fractionation. *Environ. Sci. Technol. Lett.* **2015**, *2*, 329–334, <https://doi.org/10.1021/acs.estlett.5b00254>.
- [72] Torrentó, C.; Bakkour, R.; Ryaenko, E.; Ponsin, V.; Prasuhn, V.; Hofstetter, T. B.; Elsner, M.; Hunkeler, D. Fate of four herbicides in an irrigated field cropped with corn: Lysimeter experiments. *Procedia Earth and Planetary Sciences* **2015**, *13*, 158–161, <https://doi.org/10.1016/j.proeps.2015.07.037>.
- [71] Hofstetter, T. B.; Bolotin, J.; Pati, S. G.; Skarpeli-Liati, M.; Spahr, S.; Wijker, R. S. Isotope effects as new proxies for organic pollutant transformation. *CHIMIA* **2014**, *68*, 788–792, <https://doi.org/10.2533/chimia.2014.788>.
- [70] Huntscha, S.; Hofstetter, T. B.; Schymanski, E. L.; Spahr, S.; Hollender, J. Biotransformation of benzotriazoles: insights from transformation product identification and compound-specific isotope analysis. *Environ. Sci. Technol.* **2014**, *48*, 4435–4443, <https://doi.org/10.1021/es405694z>.
- [69] Pati, S. G.; Kohler, H.-P. E.; Bolotin, J.; Parales, R. E.; Hofstetter, T. B. Isotope effects of enzymatic dioxygenation of nitrobenzene and 2-nitrotoluene by nitrobenzene dioxygenase. *Environ. Sci. Technol.* **2014**, *48*, 10750–10759, <https://doi.org/10.1021/es5028844>.
- [68] Hofstetter, T. B.; Sosedova, Y.; Gorski, C. A.; Voegelin, A.; Sander, M. *Redox properties of iron-bearing clays and MX-80 bentonite – Electrochemical and spectroscopic characterization*; Nagra Technical Report NTB 13-03, **2014**, https://nagra.ch/wp-content/uploads/2022/08/e_ntb13-003.pdf.
- [67] Gorski, C. A.; Klüpfel, L.; Voegelin, A.; Sander, M.; Hofstetter, T. B. Redox properties of structural Fe in clay minerals: 3. Electrochemical and spectroscopic characterization of different smectite clay minerals. *Environ. Sci. Technol.* **2013**, *47*, 13477–13485, <https://doi.org/10.1021/es403824x>.
- [66] Spahr, S.; Huntscha, S.; Bolotin, J.; Meier, M. P.; Elsner, M.; Hollender, J.; Hofstetter, T. B. Compound-specific isotope analysis of benzotriazole and its derivatives. *Anal. Bioanal. Chem.* **2013**, *405*, 2843–2856, <https://doi.org/10.1007/s00216-012-6526-1>.
- [65] Wijker, R. S.; Bolotin, J.; Nishino, S. F.; Spain, J. C.; Hofstetter, T. B. Using compound-specific isotope analysis to assess biodegradation of nitroaromatic explosives in the subsurface. *Environ. Sci. Technol.* **2013**, *47*, 6872–6883, <https://doi.org/10.1021/es3051845>.
- [64] Wijker, R. S.; Adamczyk, P.; Bolotin, J.; Paneth, P.; Hofstetter, T. B. Isotopic analysis of oxidative pollutant degradation pathways exhibiting large H isotope fractionation. *Environ. Sci. Technol.* **2013**, *47*, 13459–13468, <https://doi.org/10.1007/s00894-014-2091-1>.
- [63] Wijker, R. S.; Kurt, Z.; Spain, J. C.; Bolotin, J.; Zeyer, J.; Hofstetter, T. B. Isotope fractionation associated with the biodegradation of 2- and 4-nitrophenols via monooxygenation pathways. *Environ. Sci. Technol.* **2013**, *47*, 14185–14193, <https://doi.org/10.1021/es403876u>.

- [62] McNeill, K.; Hofstetter, T. B.; Goss, K.-U.; Escher, B. I. A tribute to René P. Schwarzenbach. *Environ. Sci. Technol.* **2013**, *47*, 6725–6727, <https://doi.org/10.1021/es402221r>.
- [61] Carstens, D.; Lehmann, M. F.; Hofstetter, T. B.; Schubert, C. J. Amino acid nitrogen isotopic composition patterns in lacustrine sedimenting matter. *Geochim. Cosmochim. Acta* **2013**, *121*, 328–338, <https://doi.org/10.1016/j.gca.2013.07.020>.
- [60] Elsner, M.; Jochman, M. A.; Hofstetter, T. B.; Hunkeler, D.; Bernstein, A.; Schmidt, T. C.; Schimmelmann, A. Current challenges in compound-specific stable isotope analysis of environmental organic contaminants. *Anal. Bioanal. Chem.* **2012**, *403*, 2471–2491, <https://doi.org/10.1007/s00216-011-5683-y>.
- [59] Gorski, C. A.; Aeschbacher, M.; Soltermann, D.; Voegelin, A.; Baeyens, B.; Marques-Fernandes, M.; Hofstetter, T. B.; Sander, M. Redox properties of structural Fe in clay minerals: 1. Electrochemical quantification of electron donating and accepting capacities of smectites. *Environ. Sci. Technol.* **2012**, *46*, 9360–9368, <https://doi.org/10.1021/es3020138>.
- [58] Gorski, C. A.; Klüpfel, L.; Voegelin, A.; Sander, M.; Hofstetter, T. B. Redox properties of structural Fe in clay minerals: 2. Electrochemical and spectroscopic characterization of electron transfer irreversibility in ferruginous smectite, SWa-1. *Environ. Sci. Technol.* **2012**, *46*, 9369–9377, <https://doi.org/10.1021/es302014u>.
- [57] Pati, S. G.; Shin, K. A.; Skarpeli-Liati, M.; Bolotin, J.; Eustis, S. N.; Spain, J. C.; Hofstetter, T. B. Carbon and nitrogen isotope effects associated with the dioxygenation of aniline and diphenylamine. *Environ. Sci. Technol.* **2012**, *46*, 11844–11853, <https://doi.org/10.1021/es303043t>.
- [56] Skarpeli-Liati, M.; Pati, S. G.; Bolotin, J.; Eustis, S. N.; Hofstetter, T. B. Carbon, hydrogen, and nitrogen isotope analysis associated with oxidative transformation of substituted *N*-alkylated aromatic amines. *Environ. Sci. Technol.* **2012**, *46*, 7189–7198, <https://doi.org/10.1021/es300819v>.
- [55] Pangallo, K. C.; Reddy, C. M.; Poyton, M.; Bolotin, J.; Hofstetter, T. B. $\delta^{15}\text{N}$ Enrichment suggests possible source for halogenated 1-methyl-1,2-bipyrroles (MBPs). *Environ. Sci. Technol.* **2012**, *46*, 2064–2070, <https://doi.org/10.1021/es203143c>.
- [54] Elsner, M.; Hofstetter, T. B. In *Aquatic Redox Chemistry*; Tratnyek, P. G., Grundl, T. J., Haderlein, S. B., Eds.; ACS Symposium Series; American Chemical Society, **2011**, Vol. 1071; pp 407–439, <https://doi.org/10.1021/bk-2011-1071.ch019>.
- [53] Hofstetter, T. B.; Berg, M. Assessing transformation processes of organic contaminants by compound-specific stable isotope analyses. *TrAC-Trends Anal. Chem.* **2011**, *30*, 618–627, <https://doi.org/10.1016/j.trac.2010.10.012>.
- [52] Neumann, A.; Sander, M.; Hofstetter, T. B. Redox Properties of Structural Fe in Smectite Clay Minerals. *Aquatic Redox Chemistry*. 2011; pp 361–379, <https://doi.org/10.1021/bk-2011-1071.ch017>.
- [51] Neumann, A.; Petit, S.; Hofstetter, T. B. Evaluation of redox-active iron sites in smectites using middle and near infrared spectroscopy. *Geochim. Cosmochim. Acta* **2011**, *75*, 2336–2355, <https://doi.org/10.1016/j.gca.2011.02.009>.
- [50] Skarpeli-Liati, M.; Arnold, W. A.; Turgeon, A.; Cramer, C. J.; Hofstetter, T. B. pH-Dependent equilibrium isotope fractionation associated with compound-specific nitrogen and carbon isotope analysis by SPME-GC/IRMS. *Anal. Chem.* **2011**, *83*, 1641–1648, <https://doi.org/10.1021/ac102667y>.
- [49] Skarpeli-Liati, M.; Jiskra, M.; Turgeon, A.; Garr, A. N.; Arnold, W. A.; Cramer, C. J.; Schwarzenbach, R. P.; Hofstetter, T. B. Using nitrogen isotope fractionation to assess the oxidation of substituted anilines by manganese oxide. *Environ. Sci. Technol.* **2011**, *45*, 5596–5604, <https://doi.org/10.1021/es200743t>.
- [48] Gorski, C. A.; Sander, M.; Aeschbacher, M.; Hofstetter, T. B. Assessing the redox properties of iron-bearing clay minerals using homogeneous electrocatalysis. *Appl. Geochem.* **2011**, *26*, S191–S193, <https://doi.org/10.1016/j.apgeochem.2011.03.101>.

- [47] Hofstetter, T. B.; Bolotin, J.; Skarpeli-Liati, M.; Wijker, R.; Kurt, Z.; Nishino, S. F.; Spain, J. C. Tracking transformation processes of organic micropollutants in aquatic environments using multi-element isotope fractionation analysis. *Appl. Geochem.* **2011**, *26*, S334–S336, <https://doi.org/10.1016/j.apgeochem.2011.03.068>.
- [46] Aeppli, C.; Hofstetter, T. B.; Amaral, H. I. F.; Kipfer, R.; Schwarzenbach, R. P.; Berg, M. Quantifying *in-situ* transformation rates of chlorinated ethenes by combining compound-specific stable isotope analysis, groundwater dating, and carbon isotope mass balances. *Environ. Sci. Technol.* **2010**, *44*, 3705–3711, <https://doi.org/10.1021/es903895b>.
- [45] Gorski, C. A.; Nurmi, J. T.; Tratnyek, P. G.; Hofstetter, T. B.; Scherer, M. M. Redox behavior of magnetite: Implications for contaminant reduction. *Environ. Sci. Technol.* **2010**, *44*, 55–60, <https://doi.org/10.1021/es9016848>.
- [44] Schwarzenbach, R. P.; Egli, T.; Hofstetter, T. B.; von Gunten, U.; Wehrli, B. Global water pollution and human health. *Annu. Rev. Environ. Resour.* **2010**, *35*, 109–136, <https://doi.org/10.1146/annurev-environ-100809-125342>.
- [43] Aeppli, C.; Berg, M.; Cirpka, O. A.; Holliger, C.; Schwarzenbach, R. P.; Hofstetter, T. B. Influence of mass-transfer limitations on carbon isotope fractionation during microbial dechlorination of trichloroethene. *Environ. Sci. Technol.* **2009**, *43*, 8813–8820, <https://doi.org/10.1021/es901481b>.
- [42] Klevenhusen, F.; Bernasconi, S.; Hofstetter, T.; Bolotin, J.; Kunz, C.; Kreuzer, M.; Soliva, C. Efficiency of monolaurin in reducing ruminal methanogenesis and modifying C-isotope fractionation using diets composed of either C3 or C4 plants. *British Journal of Nutrition* **2009**, *102*, 1308–1311, <https://doi.org/10.1017/S0007114509990262>.
- [41] Mikutta, C.; Wiederhold, J. G.; Cirpka, O. A.; Hofstetter, T. B.; Bourdon, B.; von Gunten, U. Iron isotope fractionation and atom exchange during sorption of ferrous Fe to mineral surfaces. *Geochim. Cosmochim. Acta* **2009**, *73*, 1795–1812, <https://doi.org/10.1016/j.gca.2009.01.014>.
- [40] Neumann, A.; Hofstetter, T. B.; Skarpeli-Liati, M.; Schwarzenbach, R. P. Reduction of polychlorinated ethanes and carbon tetrachloride by structural Fe(II) in smectites. *Environ. Sci. Technol.* **2009**, *43*, 4082–4089, <https://doi.org/10.1021/es9001967>.
- [39] Skarpeli-Liati, M.; Schwarzenbach, R. P.; Hofstetter, T. B. Nitrogen isotope fractionation during the oxidation of substituted anilines at manganese oxides. *Geochim. Cosmochim. Acta* **2009**, A1233–A1233.
- [38] Neumann, A.; Hofstetter, T. B.; Cirpka, O. A.; Petit, S.; Schwarzenbach, R. P. Assessing the redox reactivity of nitroaromatic compounds and polychlorinated ethanes with structural iron in smectites. *Geochim. Cosmochim. Acta* **2009**, *73*, A938.
- [37] Lloyd, J. R.; Coker, V. S.; Cutting, R. S.; Hofstetter, T. B.; Mosberger, L.; Telling, N. D.; Patrick, R. A. D.; Pierce, C. I.; van der Laan, G.; Vaughan, D. J. Reductive microbial transformations of iron oxides; engineering biominerals for the remediation of metals and organics. *Geochim. Cosmochim. Acta* **2009**, *73*, A786.
- [36] Aeppli, C.; Berg, M.; Hofstetter, T.; Kipfer, R.; Schwarzenbach, R. Simultaneous quantification of polar and non-polar volatile organic compounds in water samples by direct aqueous injection-gas chromatography/mass spectrometry. *J. Chromatography A* **2008**, *1181*, 116–124, <http://dx.doi.org/10.1016/j.chroma.2007.12.043>.
- [35] Arnold, W. A.; Bolotin, J.; von Gunten, U.; Hofstetter, T. B. Evaluation of functional groups responsible for chloroform formation during water chlorination using compound specific isotope analysis. *Environ. Sci. Technol.* **2008**, *42*, 7778–7785, [10.1021/es800399a](https://doi.org/10.1021/es800399a).
- [34] Hartenbach, A. E.; Hofstetter, T. B.; Tentscher, P. R.; Canonica, S.; Berg, M.; Schwarzenbach, R. P. Carbon, hydrogen, and nitrogen isotope fractionation during light-induced transformations of atrazine. *Environ. Sci. Technol.* **2008**, *42*, 7751–7756, <http://doi.org/10.1021/es800356h>.

- [33] Hartenbach, A.; Hofstetter, T. B.; Aeschbacher, M.; Sander, M.; Kim, D.; Strathmann, T. J.; Arnold, W. A.; Cramer, C. J.; Schwarzenbach, R. P. Variability of nitrogen isotope fractionation during the reduction of nitroaromatic compounds with dissolved reductants. *Environ. Sci. Technol.* **2008**, *42*, 8352–8359, <https://doi.org/10.1021/es801063u>.
- [32] Hofstetter, T. B.; Neumann, A.; Arnold, W. A.; Hartenbach, A. E.; Bolotin, J.; Cramer, C. J.; Schwarzenbach, R. P. Substituent effects on nitrogen isotope fractionation during abiotic reduction of nitroaromatic compounds. *Environ. Sci. Technol.* **2008**, *42*, 1997–2003, <https://doi.org/10.1021/es702471k>.
- [31] Hofstetter, T.; Bernasconi, S.; Schwarzenbach, R.; Kretzschmar, R. New methods for the environmental chemist's toolbox. *Environ. Sci. Technol.* **2008**, *42*, 7727–7727, <https://doi.org/10.1021/es802771t>.
- [30] Hofstetter, T. B.; Spain, J. C.; Nishino, S. F.; Bolotin, J.; Schwarzenbach, R. P. Identifying competing aerobic nitrobenzene biodegradation pathways using compound-specific isotope analysis. *Environ. Sci. Technol.* **2008**, *42*, 4764–4770, <https://doi.org/10.1021/es8001053>.
- [29] Hofstetter, T. B.; Schwarzenbach, R. P.; Bernasconi, S. M. Assessing transformation processes of organic compounds using stable isotope fractionation. *Environ. Sci. Technol.* **2008**, *42*, 7737–7743, <https://doi.org/10.1021/es801384j>.
- [28] Neumann, A.; Hofstetter, T. B.; Lussi, M.; Cirpka, O. A.; Schwarzenbach, R. P. Assessing the redox reactivity of structural iron in smectites using nitroaromatic compounds as kinetic probes. *Environ. Sci. Technol.* **2008**, *42*, 8381–8387, <https://doi.org/10.1021/es801840x>.
- [27] Tobler, N. B.; Hofstetter, T. B.; Schwarzenbach, R. P. Carbon and hydrogen isotope fractionation during anaerobic toluene oxidation by *Geobacter metallireducens* with different Fe³⁺ phases as terminal electron acceptors. *Environ. Sci. Technol.* **2008**, *42*, 7786–7792, <https://doi.org/10.1021/es800046z>.
- [26] Aeppli, C.; Amaral, H. I. F.; Berg, M.; Kipfer, R.; Hofstetter, T. B.; Schwarzenbach, R. P. Assessing natural attenuation of a PCE-contaminated aquifer using a combined CSIA and groundwater dating approach. *Geochim. Cosmochim. Acta* **2008**, *72*, A5.
- [25] Hofstetter, T. B.; Hartenbach, A. E.; Schwarzenbach, R. P. Assessing redox reactions and light-induced transformations of organic water contaminants using multi-element kinetic isotope effects. *Geochim. Cosmochim. Acta* **2008**, *72*, A386.
- [24] Mikutta, C.; Wiederhold, J. G.; Hofstetter, T. B.; Cirpka, O. A.; Bourdon, B.; von Gunten, U., Iron isotope fractionation during Fe(II) sorption to mineral surfaces. *Geochim. Cosmochim. Acta* **2008**, *72*, A627.
- [23] Berg, M.; Bolotin, J.; Hofstetter, T. B. Compound-specific nitrogen and carbon isotope analysis of nitroaromatic compounds in aqueous samples using solid-phase microextraction coupled to GC/IRMS. *Anal. Chem.* **2007**, *79*, 2386–2393, <https://doi.org/10.1021/ac0622577>.
- [22] Hofstetter, T. B.; Reddy, C. M.; Heraty, L. J.; Berg, M.; Sturchio, N. C. Carbon and chlorine isotope effects during abiotic reductive dechlorination of polychlorinated ethanes. *Environ. Sci. Technol.* **2007**, *41*, 4662–4668, <https://doi.org/10.1021/es0704028>.
- [21] Tobler, N. B.; Hofstetter, T. B.; Straub, K.; Fontana, D.; Schwarzenbach, R. P. Iron-mediated microbial oxidation and abiotic reduction of organic contaminants under anoxic conditions. *Environ. Sci. Technol.* **2007**, *41*, 7765–7772, <https://doi.org/10.1021/es071128k>.
- [20] Tobler, N. B.; Hofstetter, T. B.; Schwarzenbach, R. P. Assessing iron-mediated oxidation of toluene and reduction of nitroaromatic contaminants in anoxic environments using compound-specific isotope analysis. *Environ. Sci. Technol.* **2007**, *41*, 7773–7780, <http://dx.doi.org/10.1021/es071129c>.
- [19] Hartenbach, A.; Hofstetter, T. B.; Berg, M.; Bolotin, J.; Schwarzenbach, R. P. Using nitrogen isotope fractionation to assess abiotic reduction of nitroaromatic compounds. *Environ. Sci. Technol.* **2006**, *40*, 7710–7716, <https://doi.org/10.1021/es061074z>.
- [18] Hofstetter, T. B.; Neumann, A.; Schwarzenbach, R. P. Reduction of nitroaromatic compounds by Fe(II) species associated with iron-rich smectites. *Environ. Sci. Technol.* **2006**, *40*, 235–242, <https://doi.org/10.1021/es0515147%20>.

- [17] Schwarzenbach, R. P.; Escher, B. I.; Fenner, K.; Hofstetter, T. B.; Johnson, A. C.; von Gunten, U.; Wehrli, B. The challenge of micropollutants in aquatic systems. *Science* **2006**, *313*, 1072–1077, <https://doi.org/10.1126/science.1127291>.
- [16] Seyler, C.; Hofstetter, T.; Hungerbühler, K. Life cycle inventory for thermal treatment of waste solvent from chemical industry: a multi-input allocation model. *Journal of Cleaner Production* **2005**, *13*, 1211–1224, <https://doi.org/10.1016/j.jclepro.2005.05.009>.
- [15] Hellweg, S.; Hofstetter, T.; Hungerbühler, K. Time-dependent life-cycle assessment of slag landfills with the help of scenario analysis: the example of Cd and Cu. *Journal of Cleaner Production* **2005**, *13*, 301–320, <https://doi.org/10.1016/j.jclepro.2004.02.016>.
- [14] Hellweg, S.; Fischer, U.; Hofstetter, T.; Hungerbühler, K. Site-dependent fate assessment in LCA: transport of heavy metals in soil. *Journal of Cleaner Production* **2005**, *13*, 341–361, <https://doi.org/10.1016/j.jclepro.2003.10.003>.
- [13] Geisler, G.; Hellweg, S.; Hofstetter, T.; Hungerbühler, K. Life-cycle assessment in pesticide product development: Methods and case study on two plant-growth regulators from different product generations. *Environ. Sci. Technol.* **2005**, *39*, 2406–2413, <https://doi.org/10.1021/es049145m>.
- [12] Tobler, N. B.; Hofstetter, T. B.; Fontana, D.; Schwarzenbach, R. P. Coupling biogeochemical Fe(III) oxide reduction and contaminant transformation. *Geochim. Cosmochim. Acta* **2005**, *69*, A462.
- [11] Geisler, G.; Hofstetter, T.; Hungerbühler, K. Production of fine and speciality chemicals: procedure for the estimation of LCIs. *International Journal of Life Cycle Assessment* **2004**, *9*, 101–113, <https://doi.org/10.1007/BF02978569>.
- [10] Teutsch, N.; von Gunten, U.; Hofstetter, T. B.; Halliday, A. Iron isotope fractionation during adsorption of Fe(II) on Fe(III) oxides. *Geochim. Cosmochim. Acta* **2004**, *68*, A361.
- [9] Hofstetter, T. B.; Schwarzenbach, R. P.; Haderlein, S. B. Reactivity of Fe(II) species associated with clay minerals. *Environ. Sci. Technol.* **2003**, *37*, 519–528, <https://doi.org/10.1021/es025955r>.
- [8] Hofstetter, T.; Capello, C.; Hungerbühler, K. Ein ökologischer Vergleich der Verbrennung und Rektifikation von Abfalllösungsmitteln. *Chemie Ingenieur Technik* **2003**, *75*, 154–160, <https://doi.org/10.1002/cite.200390014>.
- [7] Hofstetter, T.; Capello, C.; Hungerbühler, K. Environmentally preferable treatment options for industrial waste solvent management - A case study of a toluene containing waste solvent. *Process Safety and Environmental Protection* **2003**, *81*, 189–202, <http://doi.org/10.1205/095758203765639898>.
- [6] Hellweg, S.; Hofstetter, T. B.; Hungerbühler, K. Discounting and the environment: Should current impacts be weighted differently than impacts harming future generations? *International Journal of Life Cycle Assessment* **2003**, *8*, 8–18, <https://doi.org/10.1065/lca2002.09.097>.
- [5] Hellweg, S.; Hofstetter, T.; Hungerbühler, K. Modeling waste incineration for life-cycle inventory analysis in Switzerland. *Environmental Modeling & Assessment* **2001**, *6*, 219–235, <https://doi.org/https://doi.org/10.1023/a:1013307529341>.
- [4] Haderlein, S. B.; Hofstetter, T. B.; Schwarzenbach, R. P. In *Biodegradation of Nitroaromatic Compounds and Explosives*; Spain, J. C., Hughes, J. B., Knackmuss, H.-J., Eds.; Lewis Publishers: Boca Raton, **2000**, pp 311–356, <https://doi.org/10.1201/9781420032673>.
- [3] Hofstetter, T. B.; Heijman, C. G.; Haderlein, S. B.; Holliger, C.; Schwarzenbach, R. P. Complete reduction of TNT and other (poly)nitroaromatic compounds under iron reducing subsurface conditions. *Environ. Sci. Technol.* **1999**, *33*, 1479–1487, <http://dx.doi.org/10.1021/es9809760>.
- [2] Rügge, K.; Hofstetter, T.; Haderlein, S.; Bjerg, P.; Knudsen, S.; Zraunig, C.; Mosbæk, H.; Christensen, T. Characterization of predominant reductants in an anaerobic leachate-affected aquifer by nitroaromatic probe compounds. *Environ. Sci. Technol.* **1998**, *32*, 23–31, <https://doi.org/10.1021/es970249p>.
- [1] Hofer, M.; Aeschbach-Hertig, W.; Beyerle, U.; Haderlein, S.; Hoehn, E.; Hofstetter, T.; Johnson, A.; Kipfer, R.; Ulrich, A.; Imboden, D. Tracers as essential tools for the investigation of physical and chemical processes in groundwater systems. *Chimia* **1997**, *51*, 941–946, <https://doi.org/10.2533/chimia.1997.941>.